

CE DECLARATION OF CONFORMITY: **XL PRIME PRODUCT LINE**

The undersigned representative of Manufacturer: Horner APG, LLC 59 South State Ave. Indianapolis, IN 46201, USA

and the authorized representative established at: Horner Ireland Unit 1, Centrepoint, Centre Park Road Cork, Ireland

Hereby declares that the products in the following family: Horner X-Series Controllers and Accessories (reference attached list of part numbers) Are in conformance with the provisions of the following EC Directives

2014/34/EU	ATEX Directive
2014/30/EU	Electromagnetic Compatibility Directive (EMC)
2014/35/EU	Low Voltage Directive (LVD)
2015/863/EU	RoHS Directive

through the application of the following standards:

EN 61131-2:2007	Programmable Controllers - Part 2 - Equipment Requirements and tests.
EN 61000-6-2:2005	Electromagnetic compatibility (EMC) Generic Standards- Part 6-2: Immunity for industrial environments.
EN 61000-6-4:2007 + A1:2011	Electromagnetic Compatibility (EMC) Generic Standards- Part 6-4: Emissions standard for industrial environments.
EN 60079-0:2012	Electrical apparatus for explosive gas atmospheres- Part 0: General requirements.
EN 60079-15:2010	Electrical apparatus for explosive gas atmospheres- Part 15: Construction, test and marking of type of protection "n" electrical apparatus.



The Authorized Signatory to this declaration, on behalf of the manufacturer, is identified below:

NAME: TITLE: ADDRESS: Philip Horner President 59 South State Avenue, Indianapolis, IN 46201, USA

SIGNATURE:



The responsible Person, based with the EC is identified below:

NAME:	Richard Cooper
TITLE:	V.P. Horner APG
ADDRESS:	Horner Ireland, Unit 1, Centrepoint, Centre Park Road, Cork, Ireland



CE DECLARATION OF CONFORMITY: XL PRIME PRODUCT LINE

Part Number	Controller Family	Description	Directive		
			EMC	LVD	ATEX
HE-XPC1E0	XL4 Prime	XL4 Prime Controller 3.5" with Improved Performance, no built in I/O	1	~	
HE-XPC1E2	XL4 Prime	XL4 Prime Controller 3.5'' with Improved Performance, 12 DC In, 6 Relay Out, 4 Analog In, (mA/V)	1	~	
HE-XPC1E3	XL4 Prime	XL4 Prime Controller 3.5" with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In, (mA/V)	~	~	
HE-XPC1E4	XL4 Prime	XL4 Prime Controller 3.5'' with Improved Performance, 24 DC In, 16 DC Out, 2 Analog In (mA/V)	~	~	
HE-XPC1E5	XL4 Prime	XL4 Prime Controller 3.5'' with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out	~	~	
HE-XPC1E6	XL4 Prime	XL4 Prime Controller 3.5'' with Improved Performance, 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out	~	~	
HE-XP5	X5 Prime	X5 Controller 4.3", 4 DC In, 4 DC Out, 4 Analog In (mA/V)	~	~	
HE-XPL1E0	XL6 Prime	XL6 Prime Controller 5.7" with Improved Performance, no built in IO	~	~	
HE-XPL1E2	XL6 Prime	XL6 Prime Controller 5.7'' with Improved Performance, 12 DC In, 6 Relay Out, 4 Analog In, (mA/V)	~	~	
HE-XPL1E3	XL6 Prime	XL6 Prime Controller 5.7'' with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In, (mA/V)	~	~	
HE-XPL1E4	XL6 Prime	XL6 Prime Controller 5.7'' with Improved Performance, 24 DC In, 16 DC Out, 2 Analog In (mA/V)	✓	~	
HE-XPL1E5	XL6 Prime	XL6 Prime Controller 5.7'' with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out	~	~	
HE-XPL1E6	XL6 Prime	XL6 Prime Controller 5.7'' with Improved Performance, 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out	~	~	
HE-XPWE0	XLW Prime	XLW Prime Controller 7'' with Improved Performance, no built in IO	1	~	
HE-XPWE2	XLW Prime	XLW Prime Controller 7'' with Improved Performance, 12 DC In, 6 Relay Out, 4 Analog In, (mA/V)	~	~	
HE-XPWE3	XLW Prime	XLW Prime Controller 7'' with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In, (mA/V)	~	~	
HE-XPWE4	XLW Prime	XLW Prime Controller 7'' with Improved Performance, 24 DC In, 16 DC Out, 2 Analog In (mA/V)	~	~	
HE-XPWE5	XLW Prime	XLW Prime Controller 7'' with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out	~	~	
HE-XPWE6	XLW Prime	XLW Prime Controller 7'' with Improved Performance, 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out	✓	~	

www.hornerautomation.com



Part Number	Controller Family	Description	Directive		
			EMC	LVD	ATEX
HE-XPW1E0	XL7 Prime	XL7 Prime Controller 7'' with Improved Performance, no built in IO, dual Ethernet support	\checkmark	\checkmark	
HE-XPW1E2	XL7 Prime	XL7 Prime Controller 7'' with Improved Performance, 12 DC In, 6 Relay Out, 4 Analog In, (mA/V), dual Ethernet support	~	\checkmark	
HE-XPW1E3	XL7 Prime	XL7 Prime Controller 7'' with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In, (mA/V), dual Ethernet support	\checkmark	\checkmark	
HE-XPW1E4	XL7 Prime	XL7 Prime Controller 7'' with Improved Performance, 24 DC In, 16 DC Out, 2 Analog In (mA/V), dual Ethernet support	\checkmark	~	
HE-XPW1E5	XL7 Prime	XL7 Prime Controller 7'' with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out, dual Ethernet support	\checkmark	\checkmark	
HE-XPW1E6	XL7 Prime	XL7 Prime Controller 7'' with Improved Performance, 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out, dual Ethernet support	\checkmark	\checkmark	
HE-XPV1E0	XL10 Prime	XL10 Prime Controller 10.4'' with Improved Performance, no built in IO, dual Ethernet support	~	~	
HE-XPV1E2	XL10 Prime	XL10 Prime Controller 10.4'' with Improved Performance, 12 DC In, 6 Relay Out, 4 Analog In, (mA/V), dual Ethernet support	~	1	
HE-XPV1E3	XL10 Prime	XL10 Prime Controller 10.4'' with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In, (mA/V), dual Ethernet support	~	~	
HE-XPV1E4	XL10 Prime	XL10 Prime Controller 10.4'' with Improved Performance, 24 DC In, 16 DC Out, 2 Analog In (mA/V), dual Ethernet support	~	~	
HE-XPV1E5	XL10 Prime	XL10 Prime Controller 10.4'' with Improved Performance, 12 DC In, 12 DC Out, 2 Analog In (mA/V/Tc/mV/RTD), 2 Analog Out, dual Ethernet support	\checkmark	\checkmark	
HE-XPV1E6	XL10 Prime	XL10 Prime Controller 10.4'' with Improved Performance, 12 DC In, 12 DC Out, 6 Analog In (mA/V/Tc/mV/RTD), 4 Analog Out, dual Ethernet support	1	1	



SUPPORT

Technical Support

For assistance and manual updates, contact Technical Support at the following locations:

North America

+1 (317) 916-4274 www.hornerautomation.com techsppt@heapg.com

Europe

+353 (21) 4321-266 <u>www.hornerautomation.eu</u> technical.support@horner-apg.com

Corporate Contacts

GLOBAL HEADQUARTERS

59 South State Avenue Indianapolis, Indiana 46201 P 317-916-4274 F 317-639-4279 TF 877-665-5666 www.hornerautomation.com sales@heapg.com

INTERNATIONAL OPERATIONS

HORNER EUROPE

Horner Ireland Limited, Unit 1 Centrepoint, Centrepark Road Cork, Ireland P +353-21-4321266 F +353-21-4321826 info@horner-apg.com www.hornerautomation.eu

HORNER CANADA

916 42 Avenue SE #120 Calgary, Alberta T2G 1Z2 P (403) 444-0928 F (403) 265-0966 info@hornercanada.com www.hornerautomation.com

HORNER INDIA

Vaishnavi, No. 3, Domlur 2nd Stage 3rd Phase, Domlur Main Rd. Bangalore 560071 Karnataka, India P +91-80-41263460 / 61 / 62 F +91-80-41263464 info@india.horner-apg.com www.hornerautomation.com

HORNER AUSTRALIA

Unit 15 104 Ferntree Gully Road Oakleigh Victoria 3166 P 03 9544 0733 F 03 9544 0977 **jim.callan@heapg.com** www.hornerautomation.com

HORNER CHINA

Sales and Tech Support for China Room 1001, Nongke Building No. 268, Baidilu Road, Nankai District Tianjin 300192, P.R. China P +86-022-23367571/23360759 F +86-022-23662715 info@hornerchina.com.cn www.hornerchina.com.cn